


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
A		-3 CH'D ENGRAVE NOTES PER RW.	5/9/11	RJC	RW
B		CH'D TOOL NAME WAS FAN/ECS DRIVE QUILL LIP SEAL INSTALLER IS TOOL, FAN/ECS DRIVE QUILL LIP SEAL INSTALLER TO MATCH PARTS MANUAL.	11/4/13	RJC	RW
1		-3 ADDED DIM. R.01 MAX, CH'D TOLERANCE ON NON-CRITICAL PARTS.	5/14/14	DPD	GE
2	15-0068	-3 CH'D ENGRAVE NOTE WAS ENGRAVE T/N "RBW6305G16231-3G-3" IS ENGRAVE P/N.	4/6/2015	RJC	JAG







NOTE:
ALSO SOLD WITH KIT RBW6305G01531-3G BOX
TWO RBW6305G19731-3G.

DART AEROSPACE	
TITLE TOOL, FAN/ECS DRIVE QUILL LIP SEAL INSTALLER	
DWG NO. RBW6305G16231-3G	REV 2
MAT'L	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 .XX ± .01 .X ± .1	HEAT TREAT FINISH
FRACTIONS ± 1/8 ANGLES ± 5°	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW139
SCALE 1:2	DATE 2/4/2011
SHEET 1 OF 3	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	HANDLE	6061		2
			-3	1	SEAT	6061		3

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	





(-1)

HANDLE

DART AEROSPACE	
TITLE TOOL, FAN/ECS DRIVE QUILL LIP SEAL INSTALLER	
DWG NO. RBW6305G16231-3G-1	REV 2
MAT'L 6061	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH CLEAR ANODIZE
.X ± .1	SPEC MIL-A-8625F, TYPE II, CLASS I
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW139
SCALE 1:2	DATE 2/4/2011
SHEET 2 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
A		-3 CH'D ENGRAVE NOTES PER RW.	5/9/11	RJC	RW
1		-3 ADDED DIM. R.01 MAX, CH'D TOLERANCE ON NON-CRITICAL PARTS.	5/14/14	DPD	GE
2	15-0068	-3 CH'D ENGRAVE NOTE WAS ENGRAVE T/N "RBW6305G16231-3G-3" IS ENGRAVE P/N.	4/6/2015	RJC	JAG



SECTION A-A

(-3)

SEAT

DART AEROSPACE	
TITLE TOOL, FAN/ECS DRIVE QUILL LIP SEAL INSTALLER	
DWG NO. RBW6305G16231-3G-3	REV 2
MAT'L 6061	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH CLEAR ANODIZE
.X ± .1	SPEC MIL-A-8625F, TYPE II, CLASS I
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW139
SCALE 1:2	DATE 2/4/2011
SHEET 3 OF 3	